

READ THE LABEL BEFORE USE

WARNINGS:

Store away from food and feed.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crop, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration.

PRECAUTIONS:

Do not touch eyes when handling and wash hands and face thoroughly after handling. Wear protective gloves and face shield. IF IN EYES: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical help. Destroy empty container by perforation and flattening and never use for any other purpose.

RELEVANT HAZARDOUS COMPONENT:

Chemical name	Weight %
Alkoxyated alcohol	<5
Oil - IP 346 DMSO extract	<3

FIRST AID TREATMENT: General advice

Eye contact: Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical advice if any pain or redness develops or persists.

Skin contact: Wash skin thoroughly with soap and water as soon as reasonably practicable. Remove heavily contaminated clothing and wash underlying skin.

Ingestion: If contamination of the mouth occurs, wash out thoroughly with water. Do not induce vomiting.

Inhalation: If inhalation of mists, fumes, or vapor causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist obtain medical advice.

Medical Advice: Treatment should in general be symptomatic and directed to relieving any effects.

NOTE TO THE USER: This agricultural remedy is to be used only in accordance with the instructions on the label. It is an offense under the Act to use this agricultural remedy for any purpose in a manner contrary to the directions on the label.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS



ECOGUARD

ACTIPRON® SUPER

Reg. No./Nr. L5506 Act/Wet No./Nr. 36/1947 An emulsifiable oil for use as an adjuvant as shown.

Hazard statements

- Causes serious eye irritation.

'n Emulgeerbare olie vir gebruik as 'n bevorderingsmiddel soos aangetoon.

Precautionary statements

- Do not touch eyes when handling and wash hands and face thoroughly after handling.
- Wear protective gloves and face shield.
- IF IN EYES: Rinse cautiously with water for several minutes.



WARNING

ACTIVE INGREDIENT

Mineral Oil


Batch Number

Date of Manufacture

NETT VOLUME

/

820 g / l



AKTIEWE BESTANDDEEL

Minerale Olie

Lotnommer

Vervaardigingsdatum

NETTO VOLUME

REGISTERED & DISTRIBUTED / GEREGISTREER & VERSPREI

ECOGUARD DISTRIBUTORS (Pty) Ltd / (Edms) Bpk

Reg. No./Nr. 1988/01616/07

P.O. Box 98634, Sloane Park 2152 • Tel: (011) 463-6057

THE GRIFFON POISON INFORMATION CENTRE

Tel: (082) 446 8946

TRANSPORT ACCIDENT: (086) 100 0366

DIRECTIONS FOR USE: Use only as directed. See table below.

MIXING: Half fill the spray-tank with water and add the required amount of herbicide. Complete filling the spray-tank while adding **Actipron Super** at the rate indicated and maintaining constant agitation. **Actipron Super** is compatible with the following market dyes: EcoBlue, EcoRed, EcoYellow, EcoDeepBlack and EcoWhite.

ACTIPRON SUPER APPLICATION RATES:

PRODUCT	APPLICATION METHOD	RATE OF ACTIPRON SUPER	COMMENTS
*Access 240 SL (containing 240g a.e. picloram potassium salt)	Aerial	2.0 l/ha (2.0%)	Consult label for details.
	Foliar - Ground application	0.5l /100l water (0.5%)	
	Cut Stump	0.5-2.0l/100l water (0.5% - 2.0%)	Consult Access 240SL label for correct rate per weed species.
	Frill		
*Garlon 480 EC (containing 480g a.e. triclopyr ester)	Foliar	0.5l /100l water (0.5%)	DO NOT USE Actipron Super when applying Garlon 480 EC in sugarcane.
*Lontrel 100 SL (containing 100g a.e. clopyralid)			Consult label for details.
*Timbrel 360 SL (containing 360g a.e. triclopyr amine salt)	Cut Stump	0.5-2.0l/100l water (0.5% - 2.0%)	Consult Timbrel 360 SL label for correct rate per weed species.
	Frill		Consult label for details.
*Starane 200 EC (containing 200g a.e. fluoxyppyr ester)	Foliar	0.5l /100l water (0.5%)	

*Access/Garlon/Lontrel/Timbrel/Starane are the registered trademarks of Dow AgroSciences. **Actipron Super** is a trademark of BP.

For further assistance in the use of **Actipron Super** contact an Ecoguard Distributor's representative.